Analysis of VA Health Care Utilization among Operation Enduring Freedom (OEF), Operation Iraqi Freedom (OIF), and Operation New Dawn (OND) Veterans

Cumulative from 1st Qtr FY 2002 through 3rd Qtr FY 2013 (October 1, 2001 – June 30, 2013)

Released December 2013

Epidemiology Program
Post-Deployment Health Group
Office of Public Health
Veterans Health Administration
Department of Veterans Affairs
http://www.publichealth.va.gov/epidemiology





Table of Contents

Introduction
Current DoD Roster of Recent Veterans2
How VA uses the DoD Roster of Veterans Who Have Left Active Duty3
VA Health Care Utilization from FY 2002 – 2013 (3 rd Qtr) among OEF/OIF/OND Veterans
Frequency Distribution of OEF/OIF/OND Veterans by VISN Providing Treatment 6
Demographic Characteristics of OEF/OIF/OND Veterans Utilizing VA Health Care 7
Diagnostic Data8
Frequency of Diagnoses among OEF/OIF/OND Veterans9
Frequency of Mental Disorders among OEF/OIF/OND Veterans since FY 2002 10
Summary

Introduction

This report was delayed because of the need for the Department of Veterans Affairs (VA) and the Department of Defense (DoD) to enhance data security.

This is a quarterly report on Veterans who have used VA health care and who served in Operation Enduring Freedom (OEF), Operation Iraqi Freedom (OIF), or Operation New Dawn (OND). Veterans are presenting to VA with a wide variety of physical and mental health conditions. The data represent the use of health care resources.

The data only apply to OEF/OIF/OND Veterans who have accessed VA health care, and do not represent all recent Veterans who have become eligible for VA health care. This report is created by linking the DoD **roster of returning Veterans to VA's electronic** inpatient and outpatient health records.

Suggested citation: Epidemiology Program, Post-Deployment Health Group, Office of Public Health, Veterans Health Administration, Department of Veterans Affairs. (2013). Analysis of VA Health Care Utilization among Operation Enduring Freedom, Operation Iraqi Freedom, and Operation New Dawn Veterans, from 1st Qtr FY 2002 through 3rd Qtr FY 2013. Washington, DC: Author. Retrieved from (URL)

Check http://www.publichealth.va.gov/epidemiology for updates.

Current DoD Roster of Recent Veterans

Evolving roster development by DoD Defense Manpower Data Center (DMDC)

- In September 2003, DMDC developed an initial file of Veterans who had been deployed to the Iraqi and Afghan theaters of operation using proxy files: Active Duty and Reserve Pay, Combat Zone Tax Exclusion, and Imminent Danger Pay.
- In September 2004 and April 2013, DMDC revised procedures for creating periodic updates of the roster. DMDC now utilizes additional service branch information from service branches of Veterans who served in OEF/OIF/OND troops to update the roster.
- VA's Office of Public Health provides ongoing assistance to DMDC to improve the accuracy and completeness of the roster and the variables provided.

Latest update of roster

 Provided to VA's Office of Public Health, Post Deployment Health Group, Epidemiology Program on September 4, 2013

DoD's OEF/OIF/OND deployment roster

- Contains a list of Veterans who have left active duty and does not include currently serving active duty personnel
- Does not distinguish between OEF, OIF, or OND Veterans.
- Roster only includes separated OEF/OIF/OND Veterans with out-of-theater dates through May 2013.
- Beginning with the 3rd Quarter Fiscal Year (FY) 2009 report, Veterans who received health care but subsequently died in-theater have been included in the quarterly analysis.
- The number of individuals who died in-theater from FY 2002 through 3rd Quarter FY 2013 (October 1, 2001 – June 30, 2013) is 5,807

How VA uses the DoD Roster of Veterans Who Have Left Active Duty

- The DoD roster is linked to VA's electronic inpatient and outpatient health records in which the standard International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM) diagnostic codes are used to classify health problems in order to determine which OEF/OIF/OND Veterans accessed VA health care as of June 30, 2013.
- The data available for this analysis are mainly administrative data obtained from Veterans' VA medical records and are not based on a review of patient records or a confirmation of diagnoses. However, every clinical evaluation is captured in VA's computerized patient record. The data used in this analysis are appropriate for health care planning purposes because the ICD-9-CM administrative data reflect the use of health care resources.
- These administrative data have to be interpreted with caution because they **only apply to those OEF/OIF/OND Veterans who have accessed VA health care.** These data do not represent all 1,685,788 OEF/OIF/OND Veterans who have become eligible for VA health care since FY 2002 (beginning October 1, 2001) or the approximately 2.6 million troops (as of June 30, 2013) who have served or are serving in the two theaters of operation since the beginning of the conflicts in Iraq and Afghanistan¹.
- Because VA health data are not representative of the Veterans who have not accessed VA health care, epidemiological studies are required to answer specific questions about the health of all OEF/OIF/OND Veterans.
- Analyses based on this updated roster are not directly comparable to those in prior reports because the denominator (number of OEF/OIF/OND Veterans eligible for VA health care) and numerator (number of Veterans enrolling for VA health care) change with each update.
- This report presents data from VA's health care facilities and does not include Vet Center data or DoD health care data.

¹ Source: <u>CTS Deployment File Baseline Report</u>, Defense Manpower Data Center. Provided to Epidemiology Program by the Armed Force Health Surveillance Center, 09/24/2013.

How VA uses the DoD Roster of Veterans Who Have Left Active Duty

- These health care data are "cumulative totals" since FY 2002 and do not represent data from any single year.
- The numbers provided in this report should not be manipulated to derive new data without first establishing the validity of the manipulations with VA's Office of Public Health.
- Updated Roster of OEF/OIF/OND Veterans Who Have Left Active Duty through May 31, 2013
 - o **1,685,788** OEF/OIF//OND Veterans have left active duty and become eligible for VA health care since FY 2002
 - **974,795 (~58%)**² Former Active Duty troops
 - **710,993 (~42%)2** Reserve and National Guard

² Percentage reported is approximate due to rounding.

VA Health Care Utilization from FY 2002 – 3rd Qtr FY 2013 among OEF/OIF/OND Veterans

Among all 1,685,788 separated OEF/OIF/OND Veterans

- **965,741** (~**57%)**³ have obtained VA health care since FY 2002 (cumulative total).
 - o **564,852** (~**58%)**³ **of 974,795** Former Active Duty in DMDC roster
 - 400,889 (~56%)3 of 710,993 Reserve/National Guard in DMDC roster⁴

Among the 965,741 OEF/OIF/OND Veterans who received health care since FY 2002,

- **896,421 of 965,741 (~93%)** have been seen only as outpatients by VA.
- **69,320 of 965,741 (~7%)** have been hospitalized at least once in a VA health care facility.

Comparison of VA Health Care Utilization

• Of the cumulative total of 965,741 OEF/OIF/OND Veterans who utilized VA health care from FY 2002 through 3rd Qtr FY 2013, 585,226 Veterans accessed care during the past 12 months (July 1, 2012-June 30, 2013). This represents about 9% of the ~6.3 million individuals who received VA health care during the latest complete fiscal year 2012 (October 1, 2011 – September 30, 2012).⁵

³ Percentage reported is approximate due to rounding.

⁴ May include both former and current Reserve/National Guard Members.

⁵ The most recent full fiscal year for which data are available. Obtained from Office of the Assistant Deputy Under Secretary for Health Policy and Planning.

Number of OEF/OIF/OND Veterans by Veterans Integrated Service Network (VISN) Providing Treatment

OEF/OIF/OND Veterans Treated at a VA Facility^{6,7}

Treatment Site	Number	Percent
VISN 1: VA New England Healthcare System	41,485	4.3
VISN 2: VA Healthcare Network Upstate New York	26,826	2.8
VISN 3: VA New York/New Jersey Healthcare System	34,750	3.6
VISN 4: VA Stars & Stripes Healthcare System	48,327	5.0
VISN 5: VA Capitol Health Care System	38,147	4.0
VISN 6: VA Mid-Atlantic Health Care Network	73,134	7.6
VISN 7: VA Southeast Network	79,791	8.3
VISN 8: VA Sunshine Healthcare Network	77,349	8.0
VISN 9: VA MidSouth Healthcare Network	57,041	5.9
VISN 10: VA Healthcare System of Ohio	32,675	3.4
VISN 11: Veterans in Partnership Healthcare Network	44,790	4.6
VISN 12: VA Great Lakes Health Care System	48,731	5.0
VISN 15: VA Heartland Network	43,892	4.5
VISN 16: South Central VA Health Care Network	92,552	9.6
VISN 17: VA Heart of Texas Health Care Network	79,861	8.3
VISN 18: VA Southeast Health Care Network	56,306	5.8
VISN 19: VA Rocky Mountain Network	49,590	5.1
VISN 20: VA Northwest Health Network	56,974	5.9
VISN 21: VA Sierra Pacific Network	50,156	5.2
VISN 22: VA Desert Pacific Healthcare Network	86,537	9.0
VISN 23: VA Midwest Health Care Network ⁸	56,909	5.9

 $^{^6}$ The total number of OEF/OIF/OND Veterans who received treatment (n = 965,741) was used to calculate the percentage treated in any one VISN. The total may be higher than 965,741 unique Veterans because a Veteran can be treated in more than one VISN and each is entered separately in this table.

⁷ Percentages reported are approximate due to rounding.

⁸ In 2002, VA merged VISNs 13 and 14 to form VISN 23.

VA Health Care Utilization among OEF/OIF/OND Veterans Cumulative from 1st Qtr FY 2002-3rd Qtr FY 2013, Released December 2013

Demographic Characteristics of OEF/OIF/OND Veterans Utilizing VA Health Care⁹

Demographic Characteristics	% OEF/OIF/OND (n=965,741)	
Sex		
Male	87.9	
Female	12.1	
Birth Year Cohort ¹⁰		
1990 or later	1.5	
1980-1989	48.2	
1970-1979	24.8	
1960-1969	19.3	
1950-1959	5.4	
1926-1949	0.8	
Rank		
Enlisted	91.1	
Officer	8.9	
Unit Type		
Active Duty	58.5	
Reserve/Guard	41.5	
Branch		
Air Force	12.8	
Army	59.5	
Coast Guard ¹¹	0.1	
Marines	13.9	
Navy	13.6	

⁹ Hospitalization and outpatient visits recorded as of June 30, 2013.

¹⁰ In 2nd Qtr FY12, the **birth year category "1990 or later" was added**, and the earlier 1980 group redefined as ending in 1989. This adjustment was made to better equalize the number of years represented in each range. Birth year ranges were introduced 3rd Qtr FY 2009 in order to account for younger Veterans.

¹¹ Beginning with the 4th Qtr FY 2012 report, the percentage of Coast Guard Veterans utilizing VA health care was added to the summary because the estimate reached a reportable level.

Diagnostic Data

- Veterans of recent military conflicts have presented to VA for outpatient and inpatient care with a wide range of medical and psychological conditions.
- Diagnoses have encompassed more than 8,000 discrete ICD-9-CM diagnostic codes.
- The three most common diagnoses of Veterans were musculoskeletal ailments (principally joint and back disorders), mental disorders, and "Symptoms, Signs and III-Defined Conditions."
- As in other outpatient populations, the ICD-9-CM diagnostic category "Symptoms, Signs and Ill-Defined Conditions" was commonly reported. This is not a diagnosis of an unknown syndrome or unusual illness. This ICD-9-CM code includes symptoms and clinical findings that are not coded elsewhere. It is a diverse, catch-all category that is commonly used for the diagnosis of outpatient populations. It encompasses more than 160 sub-categories and primarily consists of common symptoms that do not have an immediately obvious cause during a clinic visit or consists of laboratory test abnormalities that do not point to a particular disease process and may be transient. The most frequently reported codes in this category, in order of magnitude are: General Symptoms (ICD-9-CM 780), Symptoms Involving Respiratory System and Other Chest Symptoms (ICD-9-CM 786), and Symptoms Involving Head and Neck (ICD-9-CM 784).

Number of Diagnoses among OEF/OIF/OND Veterans

Disease Category (ICD-9-CM Categories)	Number ¹²	Percent
Infectious and Parasitic Diseases (001-139)	157,932	16.4
Malignant Neoplasms (140-209)	14,451	1.5
Benign Neoplasms (210-239)	72,259	7.5
Diseases of Endocrine/Nutritional/Metabolic Systems (240-279)	335,838	34.8
Diseases of Blood and Blood Forming Organs (280-289)	41,611	4.3
Mental Disorders (290-319)	530,392	54.9
Diseases of Nervous System/ Sense Organs (320-389)	457,593	47.4
Diseases of Circulatory System (390-459)	218,109	22.6
Diseases of Respiratory System (460-519)	265,466	27.5
Diseases of Digestive System (520-579)	353,445	36.6
Diseases of the Genitourinary System (580-629)	158,324	16.4
Diseases of Skin (680-709)	219,479	22.7
Diseases of Musculoskeletal System Connective Tissue (710-739)	566,967	58.7
Symptoms, Signs and III Defined Conditions (780-799)	523,468	54.2
Injury/Poisonings (800-999)	292,411	30.3

 $^{^{12}}$ The total may be higher than 965,741 unique Veterans because a Veteran can have more than one diagnosis and each is entered separately in this table.

Number of Veterans with Mental Disorders¹³ among OEF/OIF/OND Veterans Evaluated at VA Facilities since FY 2002¹⁴

Diagnosis (ICD-9-CM)	Number of OEF/OIF/OND Veterans ¹⁵
Post-traumatic stress disorder (PTSD) (309.81) ¹⁶	286,897
Depressive Disorders (311)	227,954
Neurotic Disorders (300)	205,463
Affective Psychoses (296)	137,666
Alcohol Dependence Syndrome (303)	65,768
Nondependent Abuse of Drugs (305)17	48,228
Special Symptoms, Not Elsewhere Classified (307)	41,710
Drug Dependence (304)	36,449
Specific Nonpsychotic Mental Disorder due to Organic Brain Damage (310)	31,967
Sexual Deviations and Disorders (302)	33,632

¹³ Includes both provisional and confirmed diagnoses.

¹⁴ These are cumulative data since FY 2002. ICD-9-CM diagnoses used in these analyses are obtained from computerized administrative data. Although diagnoses are made by trained health care providers, up to one-third of initial diagnostic codes may not be confirmed because the diagnosis is provisional, pending further evaluation.

¹⁵ The total will be higher than the 530,392 unique patients who received a diagnosis of a possible mental disorder. A Veteran may have more than one mental disorder diagnosis and each diagnosis is entered separately in this table.

This row of data does not include a) information on PTSD from VA's Vet Centers, b) data from Veterans not enrolled for VA health care, or c) Veterans who received only a diagnosis of adjustment reaction, ICD-9-CM 309 (n=68,313).

 $^{^{17}}$ This category currently excludes Veterans who have a diagnosis of a) tobacco use disorder only, ICD-9-CM 305.1 (n=139,612); b) alcohol abuse only, ICD-9-CM 305.0, (n=36,746); or both tobacco use disorder and alcohol abuse, ICD-9-CM 305.0 and 305.1, (n=30,439).

Summary

- Recent OEF/OIF/OND Veterans are presenting to VA with a wide range of health conditions. The three most common diagnoses of Veterans were musculoskeletal ailments (principally joint and back disorders), mental disorders, and "Symptoms, Signs and III-Defined Condition."
- The 965,741 OEF/OIF/OND Veterans who have accessed VA health care do not constitute a representative sample of all OEF/OIF/OND Veterans. For example, the fact that 47% of VA patient encounters were coded as being related to diseases of the nervous system/sense organs does not indicate that 47% of all recent Veterans are suffering from this health problem. Only epidemiological studies can evaluate the overall health of OEF/OIF/OND Veterans.
- Percentages of VA health care utilization by recent OEF/OIF/OND Veterans may be influenced by combat Veterans' enhanced access to VA health care enrollment (in January 2008, this authority was extended from two years to five years post discharge) and exemption from co-pay charges for any health problem possibly related to their military service.